



STATE: Bihar

Dated: 13/06/2018

Total - 12 (New-11, Old-01)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Instt.	Approval by Appellate Committee	Remarks
9	Bacho Devi Pvt ITI, Hinduni, P.O: Alampur Gonpura, P.S: Phulwarisarif, Patna Bihar DGT-6/4/44/2018-TC		New	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	Appellate Committee order dtd 17.05.2018(A1/61) Jt Insp dtd 05.06.2018 w.e.f August 2018
10	Super Aadarsh Pvt. ITI, Jasoliya More, Aurangabad, Bihar. DGET-6/4/90/2012-TC	PR10000591	old	Electrician	Addl. 8(4+4)	Addl. 8(4+4) Total 12(6+6)	Appellate Committee order dtd 17.05.2018(A1/61) Jt Insp dtd 02.06.2018 w.e.f August 2018
11	SNB Foundation Pvt. ITI, At: Amhara, P.S: Bhita, Dist. - Patna, Bihar DGT-6/4/45/2018-TC		New	Electrician Fitter COPA	4(2+2) 4(2+2) 2(1+1)	4(2+2) 4(2+2) 2(1+1)	Appellate Committee order dtd 17.05.2018(A1/30) Jt Insp dtd 05.06.2018 w.e.f August 2018
12	Amarpur Pvt. ITI, At & P.O: Amarapur Banka, Bihar DGT-6/4/46/2018-TC		New	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	Appellate Committee order dtd 17.05.2018(A1/54) Jt Insp dtd 08.06.2018 w.e.f August 2018

13/6/18

S. D. Lahiri

(शिवदास लाहिरी / S. D. LAHIRI)
उप महानिदेशक / Dy. Director General
भारत सरकार / Govt. of India
मंत्रालय विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
प्रधान महानिदेशक / Directorate General of Training
नई दिल्ली / New Delhi

STATE: Bihar



DATED: 25/09/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
No.	Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
			Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
26	Laxmi Narayan Private ITI, At. Atrauli, P.O. Obra, Dist. Aurangabad Bihar DGET-6/4/88/2012-TC (New Pvt.)	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	SCIR-28/8/2012 w.e.f. Aug 2012
27	Super Aadarsh Private ITI, Patna More, Growth Centre, Dist. Aurangabad Bihar DGET-6/4/90/2012-TC (New Pvt.)	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	SCIR-27/8/2012 w.e.f. Aug 2012
28	Sakaldhari Prasad Private ITI, Nal Basti, P.O. Chapra, Dist. Chapra Bihar DGET-6/4/85/2012-TC (New Pvt.)	Electrician Fitter COPA	4(2+2) 4(2+2) 2(1+1)	4(2+2) 4(2+2) 2(1+1)	*Rejected *Rejected *Rejected	SCIR-11/8/2012 *Group Instructor's qualification is not as per NCVT norms. However the Institute should appoint new staff meeting the qualification and experience as per NCVT norms and the same may be forwarded by S/D after getting it authenticated for reconsideration.
29	Namda Private ITI, Jaitpur(Laxmia Rice Mill Campus), P.O. Janakpu Road, Pupri, Dist. Sitamarhi Bihar DGET-6/4/96/2012-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	SCIR-25/8/2012 w.e.f. Aug 2012

एस. के. श्रीवास्तव
प्रशिक्षण अधिकारी/Training Officer
रोजगार एवं प्रशिक्षण विभाग/D.G.E.T.
अन एन रोजगार विभाग
Ministry of Labour & Employment
नया दिल्ली/Govt. of India
नई दिल्ली/New Delhi